



Spirit 46 > WHISPER OF LYMINGTON



Price £325,000 UK VAT paid
Location Bucklers Hard, Beaulieu - UK

Year 2015
LOA 46'7" / 14.2m
LWL 33'10" / 10.3m
Beam 9'3" / 2.83m
Draft 6'7" / 2.0m
Displacement 4,300kg / 9,259lb
Hull Material Wood
Engine 1 x Yanmar 3YM30, 29hp
Builder Spirit Yachts Ltd, Ipswich
Designer Sean McMillan / Spirit Yachts
Accommodation 5 berths in 2 cabins



BROKER'S COMMENTS

The choice of yacht for James Bond says it all, really. A sleek, elegant, and incredibly good-looking yacht, coupled with the incredible build quality from Spirit Yachts, quite literally turns heads wherever she goes. But it is not all about the looks; her slender hull form slices through the brine with very little pitching and provides a surprisingly dry ride, thanks to her coaming and well-protected cockpit.

The 46 is Spirit Yachts' most popular model, and for good reason. WHISPER is one of the youngest on the build register and is presented in exceptional condition, absolutely ready for the next owner.

In her life, she has been lightly cruised and raced, with success in winning her class in the Round the Island Race in 2026, and a trophy winner at the 2022 Spirit Regatta in Guernsey.

Explore more photos here: <https://www.berthoninternational.com/yacht-sales-brokerage/yachts-for-sale/spirit-46-whisper-of-lymington/>

CONSTRUCTION

RCD Status: The yacht conforms with the essential safety requirements of Directive 94/25EC or RCDII (2013/53/EU as appropriate (Recreational Craft Directive) and is categorised A – “Ocean” (or Cat B – whichever is appropriate)

Hull, Deck & Superstructure Construction:

- Spirit Yachts Yard No: 46-11.
- Built to EU RCD Category A ISO 12215.
- Laminated Douglas fir wood keel, hog, stem, and horn timber.
- Keelson at sawn mahogany mast step.
- Laminated mahogany transverse floors and frames.
- Sawn mahogany hanging knees creating ring frames.
- Laminated Douglas fir full length beamshelves.
- Bonded and glass sheathed plywood floors and ring frames fore and aft.
- Sawn mahogany floors in way of keel and mast step.
- Sawn mahogany engine bearers.
- 15mm Douglas fir 'Speed strip' planking.
- 2 x Diagonal 3mm Khaya outer veneer.
- 600 gm Biaxial glass cloth set in WEST epoxy resin.
- Additional 200 gm finishing twill cloth to topsides.
- Awlgrip topsides paint finish.
- Mahogany veneered marine plywood transom.
- Internal hull sealed.
- 9mm Marine plywood bulkheads and locker partitions.
- Bulkheads mahogany veneered where relevant.
- Bow and lazarette bulkheads are watertight.
- 6mm Teak laid deck epoxy bonded to marine ply sub-deck.
- Laminated mahogany deck beams.
- Jefa hull and deck bearings.
- Laminated mahogany superstructures.
- Coachroof raised 40mm from standard giving 50mm more internal headroom. Cold moulded mahogany. Laid teak roof on marine plywood.

Keel & Rudder:

- Epoxy primed steel fin keel with cast lead lower bulb (2.15 tonnes).
- 10 x 24mm Stainless steel keel bolts.
- Laminated ply sheathed semi-balanced spade rudder.
- Wood tiller with Harken extension and Autopilot arm fitting.

MACHINERY

Engine & Gearboxes:

- 1 x Yanmar 3YM30 3-cyl 29 hp diesel.
- Engine hours 445 – October 2026

Propulsion & Steering:

- Shaft drive.
- Aquadrive/AFT Flex coupling.
- Tides Marine self-aligning non-drip seal.
- Stainless steel shaft.
- Bronze P-bracket.
- 1 x New cutlass bearing (2025).
- 3-Bladed bronze Gori 16.5 x 13 feathering prop.
- Yanmar engine panel.
- Lewmar throttle control.
- Raymarine repeaters at house bulkhead.

ELECTRICAL SYSTEMS

Voltage Systems:

- 12V DC system.
- AC Control panel.
- 12V and USB sockets.

Battery Banks:

- 160 Ah Heavy duty AGM domestic battery (2025).
- 70 Ah Heavy duty AGM engine start battery.

Battery Chargers:

- Mastervolt battery charger.
- Mastervolt BTM3 battery management monitor.

Alternators:

- 80 A alternator.

Shore Power:

- 240V AC Shore power system.
- Shore power socket to cockpit.
- Shore power cable.

Other Electrical:

- Fuse protected Mastervolt isolation transformer.
- Inverter.

PLUMBING SYSTEMS

- Extendable deckwash hose.

Fresh Water & Water Heating System:

- Jabsco Par-Max 4 freshwater pump.
- 30 L Hot water tank via calorifier and 750 W element.

Bilge Pumps:

- Whale manual bilge pump at cockpit.
- 2 x Jabsco 12V auto/manual bilge pumps.

TANKAGE

Fuel:

- Polypropylene fuel tank (17.6 Gal / 80 L).

Fresh Water:

- Polypropylene water tank w. 12V gauge (17.6 Gal / 80 L).

Grey/Blackwater Holding Tanks:

- Polypropylene 20 L black water holding tank.

Gas:

- Gas bottle drained locker in lazarette.

NAVIGATION EQUIPMENT

- 1 x Raymarine E series multi-function chart plotter, GPS, AIS, data.
- 2 x Raymarine A series multi-function chart plotter, GPS, AIS.
- Raymarine autopilot display.
- Raymarine i70 multi-function display.
- Repeaters duplicated port and starboard at companionway.
- Raymarine VHF/DSC.
- Icom IC-M35 handheld VHF.
- Windex.

DOMESTIC EQUIPMENT

Galley:

- Isotherm BI40 fridge/freezer 40 L.
- Smev 2 x burner hob with smoked glass lid.
- Stainless steel sink with chopping board cover.
- Mixer tap.

Heads/Showers:

- Jabsco 12V toilet to port.
- Shower with sump and pump.
- Deck shower at lazarette.
- Whale Gulper 12V manually operated shower discharge pump.
- WC discharges to tank with valved overboard discharge or pump out.

Heating & Ventilation:

- Webasto 8000Btu air conditioning unit.
- Webasto Air Top 40 diesel fired cabin heater.

Entertainment:


- Alpine stereo with JL amp & 2 x speakers.

Lighting:

- LED lighting.
- Reading lights.
- LED navigation lights.

ACCOMMODATION**Summary of Accommodation:**

- Accommodation for 5 in fore cabin, saloon, and a quarter berth.
- Traditional mahogany framed and panelled marine plywood joinery.
- Mahogany trim.
- Mahogany veneered plywood sole boards.
- Alcantara covered foam upholstery.
- 3 x Flush hatches: Starboard hatch to lazarette; port hatch to boarding ladder and swim shower.
- 3 x Elliptical stainless steel portlights port and starboard of coachroof.
- Sliding companionway hatch.
- Double leaf companionway doors.
- Flush Solimar acrylic hatch over saloon.
- Flush Solimar acrylic hatch over WC compartment.
- Flush Solimar acrylic hatch over forecabin.

Internal Layout:**Description of layout from forwards:****Forecabin (Forward):**

- Double berth.
- Alcantara type upholstery.
- Stowage under.
- Shelves at hull side.
- 2 x 'Cabin' reading lamps.
- LED Dimmable mood lighting.
- Hatch in deckhead.
- Access forward to chain locker.

WC Compartment (Door Offset to Starboard Forward):

- Stainless steel inset sink unit to starboard.
- Mixer tap.
- Stowage under and outboard.
- Hatch in deckhead.
- Deckhead light.

Saloon:

- Settees/berths port and starboard.
- Blue Alcantara upholstery.
- Stowage under and outboard.
- Shelves and lockers outboard.
- Removable folding saloon table with cutlery stowage under.
- Hatch in deckhead.
- Access via 4 x steps down from companionway hatch.
- Engine box forms part of steps.
- 4 x 'Cabin' reading lights.

Galley (To Port):

- Raw teak top surfaces.
- Lockers outboard and below.
- 'Cabin' lamp/reading lamp.

Nav Station (To Starboard):

- Chart table with lift lid stowage under.
- Shelf and locker outboard.
- 'Cabin' lamp/reading lamp.
- Nav and communications displays.
- Ship's electrical panel.

Quarter Berth (To Starboard):

- Lockers outboard.
- Blue Alcantara upholstery.
- 'Cabin' reading light.

COCKPIT

- Large sunk cockpit.
- Attractive elliptical coaming with chafe plates at winches.
- Teak laid cockpit seats port and starboard and swept round aft.
- Very deep lockers under offer excellent stowage.
- Locker cowl vents.
- Laid teak with Spirit Yachts logo bridge deck with locker under.

DECK EQUIPMENT**Rig:**

- Keel-stepped fractional sloop rig.
- Southern Spars white spray-painted carbon mast.
- Double swept spreaders.
- Southern Spars white spray-painted carbon boom.

- Fitted for slab reefing.
- Rod vang.
- Lazyjacks.
- Carbon spinnaker pole.
- Bartels 12V under deck headsail furler with aluminium foil.
- Discontinuous 6mm and 7mm Nitronic stainless steel rod shrouds.
- Stainless steel barrel type rigging screws; stainless steel toggles.
- Mix of braid-on-braid polyester and Spectra.
- Double sheave spinnaker blocks port and starboard aft.
- Lewmar mainsheet traveller and car.
- Lewmar foresail sheet tracks and cars with Barber haulers.
- Lewmar and Ronstan blocks.
- Manual backstay control.
- 7 x Line clutches/halyard locks port and starboard.
- Ronstan lead sheaves port and starboard.
- Ronstan turning blocks at mast base.
- Chromed mooring fairleads port and starboard foredeck.
- Recessed forestay chainplate.

Winches:

- Lewmar self-tailing stainless steel sheet winches (2 x 50ST Port and starboard).
- Lewmar 42ST 2-speed stainless steel halyards/controls winches port and starboard.
- Assorted winch handles.

Sails:

- 2026 One Sails mainsail – 3 days use and in storage.
- 2026 One Sails Jib – 3 days use and in storage.
- Older Slab-reef mainsail (in photos).
- Furling jib (in photos).
- Code 2 racing jib (non-furling).
- Storm jib.
- Storm tri-sail.
- Cruising asymmetric.
- Code Zero with furler.
- S2 Spinnaker.
- S4 Spinnaker.
- S6 Spinnaker.
- A2 Asymmetric.
- A4 Asymmetric.

General:

- Raw teak laid deck on marine plywood substrate.
- Varnished teak raised toerail and taffrail.
- Removable stainless-steel stanchions.
- Deck fittings a mix of stainless steel and chromed bronze.
- Ensign staff socket; ensign and staff included.
- Raw mahogany grabrails port and starboard.
- Assorted spares and tools.
- Portable stainless steel boarding ladder.

Anchoring & Mooring Equipment:

- Mooring fairleads port and starboard aft.


- Stainless steel mooring cleat on centreline aft.
- 10kg Delta anchor.
- Stainless steel anchor cradle.
- 7mm short link chain/multiplait warp.
- Fortress FX16 kedge anchor.
- Stainless steel mooring cleat on centreline foredeck.
- Flush hatch to anchor well and furler.
- Anchor bow roller offset to port of stemhead.
- Assorted fenders and warps.

Covers, Canvas & Cushions:

- Mainsail boom cover.
- Furled headsail cover.
- Summer overall 3 part deck cover.
- Overall/mast up winter cover (for layup ashore).
- Sunbrella covered foam cockpit cushions.

SAFETY EQUIPMENT

- Bilge alarms.
- Harness loops in cockpit.
- Jackstay webbings.
- 12V Isolator valve for gas supply.
- 2 x FE-36/Clean agent fire extinguishers.
- Fire blanket.
- First aid kit.
- Horseshoe lifebuoy.
- 6 person Liferaft (not in service).



BERTHON

INTERNATIONAL YACHT BROKERS

Berthon Sales Group HQ

Bath Road
Lymington
Hampshire
SO41 3YL
England

+44 (0)1590 679 222
brokers@berthon.co.uk
berthoninternational.com

On-site at Berthon Boatyard & Marina

+44 (0)1590 673 312
enquiries@berthon.co.uk
berthon.co.uk

Berthon Scandinavia

Ängsvägen 12
473 33
Henån
Sweden

+46 304 694 000
brokers@berthonscandinavia.se
berthonscandinavia.com

Berthon Spain (Head Office & Yacht Services)

Carrer de Can Rius 14 -
Local 1 07610
Palma de Mallorca Spain

+34 971 415 441
office@berthonspain.com
services@berthonspain.com
berthonspain.com

Berthon Spain (Yacht Sales)

Edificio Reina Constanza
Calle Porto Pi 8 - 8B
07015
Palma de Mallorca
Spain

+34 871 044 659
brokers@berthonspain.com
berthoninternational.com

Berthon Spain (Barcelona)

Port de la Ginesta
Port Ginesta, 806
08860
Barcelona
Spain

+34 674 461 405
services@berthonspain.com
berthonspain.com

Berthon USA

40 Mary Street
Newport
Rhode Island
02840
USA

+1 401 846 8404
sales@berthonusa.com
berthonusa.com

DISCLAIMER These particulars have been prepared from information provided by the vendors and are intended as a general guide to the yacht, their accuracy cannot be guaranteed by us. The purchaser should confirm details of concern to them by survey or engineer's inspection. The purchaser should also ensure that the purchase contract properly reflects their concerns and specifies details on which they may wish to rely.